

Clark County, Indiana
Table A.--Acreage and Proportionate Extent of the Soils

07/02/2002

Map symbol	Soil name	Acres	Percent
AddA	Avonburg silt loam, 0 to 2 percent slopes-----	11,369	4.7
AddB2	Avonburg silt loam, 2 to 4 percent slopes, eroded-----	451	0.2
BbhA	Bartle silt loam, 0 to 2 percent slopes-----	2,023	0.8
BcrA0	Beanblossom silt loam, 1 to 3 percent slopes, rarely flooded-----	439	0.2
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration-----	3,384	1.4
BdoA	Bedford silt loam, 0 to 2 percent slopes-----	114	*
BdoB	Bedford silt loam, 2 to 6 percent slopes-----	95	*
BfbC2	Blocher, soft bedrock substratum-Weddel silt loams, 6 to 12 percent slopes, eroded-----	2,190	0.9
BfcC3	Blocher, soft bedrock substratum-Weddel complex, 6 to 12 percent slopes, severely eroded-----	830	0.3
BnyD3	Bonnell clay loam, 12 to 22 percent slopes, severely eroded-----	861	0.4
BobE5	Bonnell-Hickory clay loams, 15 to 30 percent slopes, gullied-----	18	*
BodAW	Bonnie silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration-----	381	0.2
BvoG	Brownstown-Gilwood silt loams, 25 to 75 percent slopes-----	520	0.2
CcaG	Caneyville-Rock outcrop complex, 25 to 60 percent slopes-----	5,971	2.5
CkbB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded-----	7,421	3.1
CldC2	Cincinnati-Blocher silt loams, 6 to 12 percent slopes, eroded-----	2,807	1.2
CldC3	Cincinnati-Blocher silt loams, 6 to 12 percent slopes, severely eroded-----	1,421	0.6
ClfA	Cobbsfork silt loam, 0 to 1 percent slopes-----	4,578	1.9
ComC	Coolville silt loam, 6 to 12 percent slopes-----	3,201	1.3
ConC3	Coolville-Rarden complex, 6 to 12 percent slopes, severely eroded-----	616	0.3
ConD	Coolville-Rarden complex, 12 to 18 percent slopes-----	4,835	2.0
CspA	Crider silt loam, 0 to 2 percent slopes-----	226	*
CspB2	Crider silt loam, 2 to 6 percent slopes, eroded-----	5,192	2.2
CtrB2	Crider silt loam, karst, undulating, eroded-----	1,638	0.7
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes-----	3,758	1.6
CwaA0	Cuba silt loam, 0 to 2 percent slopes, rarely flooded-----	51	*
CxgC3	Crider-Haggatt complex, 6 to 12 percent slopes, severely eroded-----	653	0.3
CxhC2	Crider-Haggatt silt loams, 6 to 12 percent slopes, eroded-----	2,395	1.0
CxmC2	Crider-Haggatt silt loams, karst, rolling, eroded-----	3,869	1.6
CxnC3	Crider-Haggatt complex, karst, rolling, severely eroded-----	1,888	0.8
DbrG	Deam silty clay loam, 20 to 55 percent slopes-----	2,963	1.2
DdsAW	Dearborn silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration-----	493	0.2
DfnA	Dubois silt loam, 0 to 2 percent slopes-----	116	*
DtvC2	Deputy-Trappist silt loams, 6 to 12 percent slopes, eroded-----	2,837	1.2
EbpD2	Eden silty clay loam, 12 to 25 percent slopes, eroded-----	107	*
EesA	Elkinsville-Millstone silt loams, 0 to 2 percent slopes-----	1,117	0.5
EesB	Elkinsville-Millstone silt loams, 2 to 6 percent slopes-----	1,462	0.6
EesC2	Elkinsville-Millstone silt loams, 6 to 12 percent slopes, eroded-----	293	0.1
EesD2	Elkinsville-Millstone silt loams, 12 to 18 percent slopes, eroded-----	192	*
EesQ0	Elkinsville-Millstone silt loams, 18 to 40 percent slopes, rarely flooded-----	209	*
EsaG	Eden silty clay loam, 25 to 60 percent slopes, very rocky-----	1,844	0.8
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes-----	10,252	4.3
Ggfd	Gilwood-Wrays silt loams, 6 to 18 percent slopes-----	1,071	0.4
Ggfe2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded-----	2,036	0.8
GmaG	Gnawbone-Kurtz silt loams, 20 to 60 percent slopes-----	7,468	3.1
GyaD2	Grayford silt loam, 12 to 25 percent slopes, eroded-----	436	0.2

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
GyaD3	Grayford silt loam, 12 to 25 percent slopes, severely eroded-----	148	*
GyaD5	Grayford silt loam, 12 to 25 percent slopes, gullied-----	23	*
GykD2	Grayford silt loam, karst, hilly, eroded-----	581	0.2
GykD3	Grayford silt loam, karst, hilly, severely eroded-----	625	0.3
HcaA	Hatfield silt loam, 0 to 2 percent slopes-----	330	0.1
HccB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded-----	178	*
HccC2	Haubstadt-Shircliff silt loams, 6 to 15 percent slopes, eroded-----	2	*
HccC3	Haubstadt-Shircliff complex, 6 to 15 percent slopes, severely eroded-----	1	*
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration-----	141	*
HcgAV	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration-----	1,655	0.7
HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration-----	3,761	1.6
HerE	Hickory-Bonnell complex, 12 to 25 percent slopes-----	1,345	0.6
HtwD2	Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded-----	2,699	1.1
HtzD3	Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded-----	1,677	0.7
HufAK	Huntington silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration-----	887	0.4
HuhD2	Haggatt-Caneyville silt loams, karst, hilly, eroded-----	2,271	0.9
HujD3	Haggatt-Caneyville complex, karst, hilly, severely eroded-----	2,920	1.2
JaeB2	Jennings silt loam, 2 to 6 percent slopes, eroded-----	5,822	2.4
JafC2	Jennings-Blocher hard bedrock substratum, silt loams, 6 to 12 percent slopes, eroded-----	2,483	1.0
JafC3	Jennings-Blocher hard bedrock substratum, silt loams, 6 to 12 percent slopes, severely eroded-----	1,321	0.5
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded-----	3,459	1.4
KxlC3	Knobcreek-Haggatt-Caneyville complex, 6 to 12 percent slopes, severely eroded-----	118	*
KxlE3	Knobcreek-Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded-----	23	*
KxmE2	Knobcreek-Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded-----	457	0.2
KxoC2	Knobcreek-Navilleton-Haggatt silt loams, karst, rolling, eroded-----	1,225	0.5
KxpD2	Knobcreek-Haggatt-Caneyville silt loams, karst, hilly, eroded-----	891	0.4
LpoAK	Lindside silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration-----	41	*
McgC2	Markland silt loam, 6 to 12 percent slopes, eroded-----	144	*
McnGQ	Markland silt loam, 18 to 50 percent slopes, eroded, rarely flooded-----	265	0.1
McpC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded-----	45	*
McuDQ	Markland silty clay loam, 12 to 25 percent slopes, severely eroded, rarely flooded-----	48	*

MdqDQ	Markland silt loam, 12 to 25 percent slopes, eroded, rarely flooded-----	326	0.1
MhuA	McGary silt loam, 0 to 2 percent slopes-----	375	0.2
MhyA	Medora silt loam, 0 to 2 percent slopes-----	58	*
MhyB2	Medora silt loam, 2 to 6 percent slopes, eroded-----	988	0.4
MhyC2	Medora silt loam, 6 to 12 percent slopes, eroded-----	146	*
MhyC3	Medora silt loam, 6 to 12 percent slopes, severely eroded-----	120	*
MsvA	Montgomery silty clay loam, 0 to 1 percent slopes-----	54	*
NaaA	Nabb silt loam, 0 to 2 percent slopes-----	4,217	1.8
NaaB2	Nabb silt loam, 2 to 6 percent slopes, eroded-----	8,324	3.5
NbhAK	Newark silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration-----	244	0.1
OfbAW	Oldenburg loam, 0 to 2 percent slopes, occasionally flooded, very brief duration-----	1	*
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded-----	4,829	2.0
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded-----	791	0.3
PcrC3	Pekin silt loam, 6 to 12 percent slopes, severely eroded-----	392	0.2
PhaA	Peoga silt loam, 0 to 1 percent slopes-----	167	*

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
Fml	Pits, quarry-----	1,504	0.6
Ppu	Pits, sand and gravel-----	212	*
RblD3	Rarden silty clay loam, 12 to 18 percent slopes, severely eroded-----	380	0.2
Rbmd5	Rarden silty clay, 6 to 18 percent slopes, gullied-----	33	*
RptG	Rohan-Jessietown complex, 25 to 60 percent slopes, rocky-----	2,545	1.1
RtcA	Ryker silt loam, 0 to 2 percent slopes-----	686	0.3
RtcB2	Ryker silt loam, 2 to 6 percent slopes, eroded-----	3,281	1.4
RzrB2	Ryker silt loam, karst, undulating, eroded-----	6,751	2.8
RztC2	Ryker-Grayford silt loams, 6 to 12 percent slopes, eroded-----	2,253	0.9
RztC3	Ryker-Grayford silt loams, 6 to 12 percent slopes, severely eroded-----	1,461	0.6
RzvC2	Ryker-Grayford silt loams, karst, rolling, eroded-----	2,620	1.1
RzvC3	Ryker-Grayford silt loams, karst, rolling, severely eroded-----	1,287	0.5
SceB2	Scottsburg silt loam, 2 to 4 percent slopes, eroded-----	2,629	1.1
SfyB	Shircliff silt loam, 2 to 6 percent slopes-----	1,191	0.5
SoaB	Spickert silt loam, 2 to 6 percent slopes-----	335	0.1
SodB	Spickert silt loam, terrace, 1 to 4 percent slopes-----	1	*
SolC2	Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded-----	1,000	0.4
StaAQ	Steff silt loam, 0 to 2 percent slopes, rarely flooded-----	325	0.1
StdAQ	Stendal silt loam, 0 to 2 percent slopes, rarely flooded-----	1,396	0.6
StdAW	Stendal silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration-----	1,348	0.6
ThaC2	Trappist silt loam, 6 to 12 percent slopes, eroded-----	6	*
ThbC3	Trappist silty clay loam, 6 to 12 percent slopes, severely eroded-----	1	*
ThbD5	Trappist silty clay loam, 6 to 18 percent slopes, gullied-----	163	*
ThcD3	Trappist-Rohan complex, 12 to 25 percent slopes, severely eroded-----	2,111	0.9
ThdD	Trappist-Rohan silt loams, 12 to 25 percent slopes-----	2,648	1.1
TsaC3	Trappist-Deputy complex, 6 to 12 percent slopes, severely eroded-----	2,721	1.1
Uaa	Udorthents, cut and filled-----	4,087	1.7
UaoAK	Udifluvents, cut and filled-Urban land complex, 0 to 2 percent slopes, occasionally flooded, brief duration-----	315	0.1
UedA	Urban land-Aquents, clayey substratum, complex, lake plain, 0 to 3 percent slopes-----	3,641	1.5
UndAY	Urban land-Udifluvents complex, leveed, 0 to 2 percent slopes-----	128	*
UngB	Urban land-Udarents, fragipan substratum, complex, till plain, 0 to 12 percent slopes-----	6,392	2.7
UnkB	Urban land-Udarents, silty substratum, complex, terrace, 0 to 6 percent slopes-----	601	0.2
UnpA	Urban land-Udarents, loamy substratum, complex, terrace, 0 to 3 percent slopes-----	5,176	2.2
UnSB	Urban land-Udarents, clayey substratum, complex, hills, 2 to 10 percent slopes-----	3,277	1.4
W	Water-----	2,195	0.9
WaaAV	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration-----	2,608	1.1
WaaAW	Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration-----	1,851	0.8
WedB2	Weddel silt loam, 2 to 6 percent slopes, eroded-----	2,791	1.2
WhcD	Wellrock-Gnawbone silt loams, 6 to 20 percent slopes-----	134	*
Wnma	Whitcomb silt loam, 0 to 2 percent slopes-----	340	0.1
WokAV	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration-----	2,233	0.9
WokAW	Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration-----	3,369	1.4
WprAW	Wirt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration-----	1	*

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
	Total-----	240,736	100.0

* Less than 0.1 percent.

